

RECEIVED
CENTRAL FAX CENTER

NOV 01 2005

Grant Prideco, L.P.
400 N. Sam Houston Parkway East
Suite 900
Houston, TX 77060
Phone: (281) 878-5655
Fax: (281) 878-5720

Jayne Sippl
Intellectual Property Administrator

FAX COVER SHEET

Date:	Nov 1, 2005		
To:	USPTO; Art Unit 3679	From:	Jayne Sippl
	Attn James Hewitt	Phone:	(281) 878-5655
Fax:	571.273.8300	Mobile:	
Phone:		Fax:	(281) 878-5720

Number of pages including cover sheet: 14

Reply to office action for 10/605,867

The Commissioner is hereby authorized to charge any additional fees that may be required at any time during the prosecution of this application without specific authorization, or credit any overpayment, to Deposit Account No. 180584.

This facsimile and the information contained in it and attached to it is the property of Grant Prideco, Inc. and/or its subsidiaries and is confidential, intended for the addressee only. If you are not the addressee or one authorized by the addressee to receive this facsimile, you are requested not to use, copy or disseminate the information, and to notify the sender immediately of its receipt by collect telephone and return it by regular mail to the address shown above.

BEST AVAILABLE COPY

RECEIVED
CENTRAL FAX CENTER

NOV 01 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Hall, David R., et al

Serial No.: 10/605,867

Filed: October 31, 2003

For: An Upset Downhole Component

§
§
§
§
§
§
§
§

Art Group: 3679

Examiner: Hewitt, James M.

Docket No.: 66.0039

VIA FAX (571) 273-8300

November 1, 2005

Honorable Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

This paper is timely submitted in response to the Patent and Trademark Office Action mailed July 5, 2005 for which the shortened – statutory period for response - *plus a one-month extension for time* - is set to expire on November 5, 2005. Reconsideration of the application in view of the following amendments and remarks is respectfully requested.

AMENDMENT

Please amend the above-identified application as follows:

BEST AVAILABLE COPY